

## safety data sheet

### to product

## GREEN&CLEAN WD Startset

### 1. Identification of the substance / preparation and company

#### Emergency number:

Tox Info Suisse, Freiestrasse 16, 8032 Zürich; Tox-Info Suisse: 145 (24h-operation); [info@toxinfo.ch](mailto:info@toxinfo.ch);  
**In case of emergency: Tel. 145;** (abroad: +41 44 251 51 51); information: +41 44 251 66 66

#### Company name:



abc dental ag

Gaswerkstrasse 6, 8952 Schlieren  
Tel. 044 755 51 00, Fax 044 755 51 01



Condor Dental Research CO Sàrl

Ch. des Ciberles 2, CP 300, 1896 Vouvry  
Tel. 024 482 61 61, Fax 024 482 61 69



Curaden AG Dentaldepot

Riedstrasse 12, 8953 Dietikon  
Tel. 041 319 45 00, Fax 041 319 45 90



dema dent AG

Furtbachstrasse 16, 8107 Buchs  
Tel. 044 838 65 65, Fax 044 838 65 66



Flexdental Services SA

Route de la Corniche 1, 1066 Epalinges  
Tel. 0848 336 825, Fax 021 907 67 02



Jordi Röntgentechnik AG

Dammstrasse 70, 4142 Münchenstein  
Tel. 061 417 93 93, Fax 061 417 93 94



Kaladent AG

Schachenstrasse 2, 9016 St. Gallen  
Tel. 071 282 80 80, Fax 071 282 80 81



Lometral AG

Binzenholzstrasse 20, 5704 Egliswil  
Tel. 062 775 05 05, Fax 062 775 33 07



Novadent AG

Sägereistrasse 17, 8152 Glattbrugg  
Tel. 044 880 20 20, Fax 044 811 04 40



Smart Dentist AG

Verenastrasse 4b, 8832 Wollerau  
Tel. 044 726 20 20, Fax 044 726 20 25



---

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Trade name/designation** GREEN&CLEAN WD

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

##### Product categories [PC]

disinfectants

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer

METASYS Medizintechnik GmbH

Florianistrasse 3

Österreich-6063 Rum bei Innsbruck

Telephone: \*43-512-205420

Telefax: \*43-512-205420-7

E-mail: [sebastian.geiger@metasys.com](mailto:sebastian.geiger@metasys.com)

Department responsible for information: ENT

Information telephone: \*43-512-205420

Information telefax: \*43-512-205420-7

E-mail (competent person): [sebastian.geiger@metasys.com](mailto:sebastian.geiger@metasys.com)

[www.metasys.com](http://www.metasys.com)

### 1.4 Emergency telephone number

Giftnotruf München \*49-(0)89-19240

---

## SECTION 2: Hazards identification

### Hazards description

#### Hazard designation:

The preparation is dangerous in the sense of Directive 1999/45/EC. This preparation is hazardous in the sense of regulation (EC) No 1272/2008 [GHS].

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 [CLP]

##### health hazards

Eye Irrit. 2

##### hazard statements for health hazards

H319 Causes serious eye irritation.

##### Physical hazards

Flam. Liq. 3

##### hazard statements for physical hazards

H226 Flammable liquid and vapour.

##### Environmental hazards

Aquatic Chronic 3

##### hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

## 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

### Hazard pictograms



GHS02

GHS07

### Signal word

Warning

### Hazard statements

#### Hazard statements for physical hazards

H226 Flammable liquid and vapour.

#### hazard statements for health hazards

H319 Causes serious eye irritation.

#### Hazard statements for environmental hazards

H412 Harmful to aquatic life with long lasting effects.

### Precautionary statements

#### General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

## 2.3 Other hazards

No data available

## SECTION 3: Composition / information on ingredients

### 3.1/3.2 Substances/Mixtures

#### Hazardous ingredients

ethanol	45 %
CAS 64-17-5	
EC 200-578-6	
INDEX 603-002-00-5	
Flam. Liq. 2, H225	
propan-2-ol	15 %
CAS 67-63-0	
EC 200-661-7	
INDEX 603-117-00-0	
Flam. Liq. 2, H225 / Eye Irrit. 2, H319 / STOT SE 3, H336	
glyoxal...%	<=0,2 %
CAS 107-22-2	
EC 203-474-9	
INDEX 605-016-00-7	
Muta. 2, H341 / Acute Tox. 4, H332 / Eye Irrit. 2, H319 / Skin Irrit. 2, H315 / Skin Sens. 1, H317	



---

didecyldimethylammonium chloride <=0,2 %  
CAS 7173-51-5  
EC 230-525-2  
INDEX 612-131-00-6  
Acute Tox. 4, H302 / Skin Corr. 1B, H314

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In case of accident or if you feel unwell, seek medical advice immediately (show safety data sheet if possible).

#### Following inhalation

Provide fresh air.

#### Following skin contact

Subsequently wash again with:  
Water and soap.

#### After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water.

#### Following ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

---

## SECTION 5: Firefighting measures

### Additional information

Extinguishing materials should be selected according to the surrounding area.

### 5.1 Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam. Extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Atomized water.

### 5.2 Special hazards arising from the substance or mixture

#### Hazardous combustion products

Hydrogen chloride (HCl). Nitrogen oxides (NO<sub>x</sub>). Carbon monoxide.

### 5.3 Advice for firefighters

No data available

---

## SECTION 6: Accidental release measures

### Methods for cleaning up

Treat the assimilated material according to the section on waste disposal.

Suitable material for diluting or neutralizing:

Water.

### Additional information

Eliminate leaks immediately.

---



## 6.1 Personal precautions, protective equipment and emergency procedures

### For non-emergency personnel

#### Personal precautions

Remove all sources of ignition. Provide adequate ventilation. Vapours are heavier than air and will spread at floor level.

#### 6.2 Environmental precautions

No special environmental protection measures are necessary.

#### 6.3 Methods and material for containment and cleaning up

No data available

#### 6.4 Reference to other sections

No data available

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Protective measures

#### Further information

To avoid the risks of fires, all contaminated materials should be stored in purpose-built containers or in metal containers with tight-fitting self-closing lids.

#### Measures to prevent fire

Keep away from:

Oxidizing agents.

Product is:

Flammable. When using do not smoke.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep/Store only in original container.

#### Hints on joint storage

#### Storage class

Entzündliche flüssige Stoffe.

#### Further information on storage conditions

#### storage temperature

Value 5 - 30 °C

### 7.3 Specific end use(s)

#### Recommendation

Observe instructions for use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

CAS No.	Substance name	LTV	STV	remark
64-17-5	Ethanol	1920 mg/m <sup>3</sup> 1000 ppm		Great Britain (UK)



CAS No.	Substance name	LTV	STV	remark
67-63-0	Propan-2-ol	999 mg/m <sup>3</sup> 400 ppm	1250 mg/m <sup>3</sup> 500 ppm	Great Britain (UK)

LTV = long-term occupational exposure limit value  
 STV = short-term occupational exposure limit value  
 source: GESTIS International Limit Values (<http://limitvalue.ifa.dguv.de/>)  
 Monitoring and observation processes: GESTIS Analytical Methods (<http://amcaw.ifa.dguv.de/>)

## 8.2 Exposure controls

### Personal protection equipment

#### General protection and hygiene measures:

Avoid contact with skin, eye and clothing. Do not eat, drink, smoke or sneeze at the workplace.

#### Eye/face protection

##### Suitable eye protection:

Tightly sealed safety glasses.

#### Skin protection

##### Hand protection:

##### Hand protection

Tested protective gloves are to be worn:

##### Suitable material:

NBR (Nitrile rubber).

##### Required properties:

liquid-tight.

**Breakthrough time:** <8 h

**Thickness of the glove material** 0,1 mm

**Wearing time with occasional contact (splashes):** <30 min

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

#### Physical state

liquid

#### Colour

colourless

#### Odour

lemon.

	parameter	Method - source - remark
	Melting point/freezing point	not determined
	Boiling point or initial boiling point and boiling range 78 °C	
	flammability	not determined



parameter		Method - source - remark
Upper explosion limit	15 Vol-%	
lower explosion limit	2 Vol-%	
Flash point (°C)	23 °C	Flash point (°C): DIN EN 22719 (10/2003: replaced by DIN EN ISO 2719)
Auto-ignition temperature		not determined
Decomposition temperature		not determined
pH		neutral
Kinematic viscosity		not determined
Water solubility		complete miscible
Soluble (g/L) in		not determined
Fat solubility		not determined
Partition coefficient: n-octanol/water		not determined
Vapour pressure		not determined
Density and/or relative density	0,89 g/cm <sup>3</sup>	Temperature 20 °C
Relative vapour density		not determined
particle characteristics		not determined

## 9.2 Other information

**Freezing point** <0 °C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No information available.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

Ignition hazard

### 10.4 Conditions to avoid

In case of warming:

Ignition hazard.

### 10.5 Incompatible materials

No information available.

### 10.6 Hazardous decomposition products

No information available.

---

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity****Acute oral toxicity** >5000 mg/kg**Effective dose**

ATEmix calculated:

**Species:**

Rat.

**Exposure time:** 48 h**11.2 Information on other hazards**

No information available.

---

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity****Acute Daphnia toxicity** >10 mg/L**Effective dose:**

EC50:

**Exposure time:** 48 h**species:**

Daphnia magna

**12.2 Persistence and degradability**

No information available.

**12.3 Bioaccumulative potential**

No information available.

**12.4 Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

**12.6 Endocrine disrupting properties**

No information available.

**12.7 Other adverse effects**

No information available.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Directive 2008/98/EC (Waste Framework Directive)****Before intended use****Waste code product** 070699**hazardous waste** No**Waste name**

wastes not otherwise specified





### After intended use

**Waste code packaging** 070699

**hazardous waste** No

**Waste name**

wastes not otherwise specified

## SECTION 14: Transport information

	Land transport (ADR/RID)	Sea transport (IMDG)	Air transport (ICAO-TI / IATA-DGR)
14.1 UN number or ID number	3175	3175	3175
14.2 Proper Shipping Name	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (ETHANOL, ISOPROPANOL)	SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (ETHANOL, ISOPROPANOL)	Solids containing flammable liquid, n.o.s. (ETHANOL, ISOPROPANOL)
14.3 Class(es)	4.1	4.1	4.1
14.4 Packing group	II	II	II
14.5 Environmental hazards	No	No	No
14.6 Special precautions for user	not applicable	not applicable	not applicable
14.7 Maritime transport in bulk according to IMO instruments	not applicable	not applicable	not applicable

### Additional information - Land transport (ADR/RID)

**Hazard label(s)** 4.1  
**Classification code** F1  
**Limited quantity (LQ)** 1 kg  
**Hazard identification number (Kemler No.)** 40  
**tunnel restriction code** E  
**transport category** 2

### Additional information - Air transport (ICAO-TI / IATA-DGR)

**Limited quantity (LQ)** 5

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

#### Other regulations (EU)

#### Regulation 96/82/EC for danger control following severe accidents with dangerous substances:

96/82/EG, annex I, part 2: Observe quantity limits according to R-phrases.

#### Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

**Volatile organic compounds (VOC) in percentage by weight:** 60 weight-%

### 15.2 Chemical Safety Assessment

No data available



## **SECTION 16: Other information**

### **Indication of changes**

2022/10: Änderungen 3

### **Key literature references and sources for data**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.