

schweizerischer verband des dentalhandels associations suisse du commerce dentaire SVDH, Moosstrasse 2, 3073 Gümligen Tel. 031 952 76 75 / Fax 031 952 76 83 http://www.svdh.ch/sdb

safety data sheet

to product

Sirona DAC NitramOil white

1. Identification of the substance / preparation and company

Emergency number:

Tox Info Suisse, Freiestrasse 16, 8032 Zürich; Tox-Info Suisse: 145 (24h-operation); info@toxinfo.ch; **In case of emergency: Tel. 145**; (abroad: +41 44 251 51 51); information: +41 44 251 66 66

Company name:

absolutely best choice	abc dental ag	Gaswerkstrasse 6, 8952 Schlieren Tel. 044 755 51 00, Fax 044 755 51 01
C NDOR A HENRY SCHEINF COMPANY	Condor Dental Research CO Sàrl	Ch. des Cibleries 2, CP 300, 1896 Vouvry Tel. 024 482 61 61, Fax 024 482 61 69
curaden dentaldepot	Curaden AG Dentaldepot	Riedstrasse 12, 8953 Dietikon Tel. 041 319 45 00, Fax 041 319 45 90
dema dent	dema dent AG	Furtbachstrasse 16, 8107 Buchs Tel. 044 838 65 65, Fax 044 838 65 66
Flexdental	Flexdental Services SA	Route de la Corniche 1, 1066 Epalinges Tel. 0848 336 825, Fax 021 907 67 02
	Jordi Röntgentechnik AG	Dammstrasse 70, 4142 Münchenstein Tel. 061 417 93 93, Fax 061 417 93 94
KALADENT	Kaladent AG	Schachenstrasse 2, 9016 St. Gallen Tel. 071 282 80 80, Fax 071 282 80 81
LOMETRAL Die Zahnarztausstatter.	Lometral AG	Binzenholzstrasse 20, 5704 Egliswil Tel. 062 775 05 05, Fax 062 775 33 07
	Novadent AG	Sägereistrasse 17, 8152 Glattbrugg Tel. 044 880 20 20, Fax 044 811 04 40
Smart Dentist Ich kann auch sol	Smart Dentist AG	Verenastrasse 4b, 8832 Wollerau Tel. 044 726 20 20, Fax 044 726 20 25

Printing date 02.11.2017

Version number 1801

Revision: 02.11.2017

Finding date 02.11.2017	
SECTION 1: Identification of the sub	ostance/mixture and of the company/undertaking
 1.1 Product identifier 	
Trade name:	NitramOil
Article number:	1.284
 1.2 Relevant identified uses of the substance or mixture and uses advised against 	No further relevant information available.
Application of the substance / the mixture	
• 1.3 Details of the supplier of the safety o • Manufacturer/Supplier:	lata sheet Sirona Dental A/S Rho 10 DK-8382 Hinnerup Denmark
	Tel.: +45 87439060 Fax: +45 87439061 E-mail: contact.hygiene@sirona.com Homepage: http://www.sirona.com
 Further information obtainable from: 1.4 Emergency telephone number: 	Environment protection department Advice centre for poisoning university Mainz phone +49(0)6131/19240 or poison information:+49(0)700/GIFTINFO
SECTION 2: Hazards identification	
· 2.1 Classification of the substance or m	
Classification according to Regulation (EC) Aerosol 3 H229 Pressurised container: Mathematical Actions (EC)	
• 2.2 Label elements	
 Labelling according to Regulation (EC) No 1272/2008 	The product is classified and labelled according to the CLP regulation.
Hazard pictograms	Void
Signal word	Warning
Hazard statements	H229 Pressurised container: May burst if heated. P210 Keep away from heat, hot surfaces, sparks, open flames and other
Precautionary statements	ignition sources. No smoking.
	P251 Do not pierce or burn, even after use. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
· 2.3 Other hazards	0/122 F.
 Results of PBT and vPvB assessment 	
· PBT:	Not applicable.
· vPvB:	Not applicable.
SECTION 3: Composition/informatic	
• 3.2 Chemical characterisation: Mixtures • Description:	Synthetic hydrogencarbon-oil, esteroil Active substance with propellant
Dangerous components:	
2,6-Di-tert-butyl-p-kresol	Aquatic Acute 1, H400; Aquatic Chronic 1, H410 <2.5%
Additional information:	For the wording of the listed hazard phrases refer to section 16.
SECTION 4: First aid measures	
• 4.1 Description of first aid measures	
General information: After inhalation:	Position and transport stably in side position. In case of unconsciousness place patient stably in side position for transportation. Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Supply fresh air.
After skin contact:	Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. Wash with water and soap and rinse thoroughly
After eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
· After swallowing:	Seek immediate medical advice. Rinse out mouth.
 4.2 Most important symptoms and effects, both acute and delayed 4.3 Indication of any immediate medical 	No further relevant information available.
attention and special treatment needed	No further relevant information available.
SECTION 5: Firefighting measures	
<u> </u>	
 5.1 Extinguishing media Suitable extinguishing agents: 	CO2 powder or water spray. Fight larger fires with water spray or alcohol resistant
 • 5.1 Extinguishing media • Suitable extinguishing agents: 	CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions.

Printing date 02.11.2017

Version number 1801

Revision: 02.11.2017

nting date 02.11.2017	Version number 1801	Revision: 02.11.20
ade name: NitramOil		
		(Contd. of page
 5.2 Special hazards arising from the substance or mixture 	In case of fire, the following can be released: Carbon monoxide (CO)	
• 5.3 Advice for firefighters		
Protective equipment:	Wear self-contained respiratory protective device Do not inhale explosion gases or combustion gas	5es.
Additional information	Cool endangered receptacles with water spray. Dispose of fire debris and contaminated fire fight official regulations.	
SECTION 6: Accidental release mea	isures	
 6.1 Personal precautions, protective equipment and emergency procedures 	Remove persons from danger area.	oduct.
• 6.2 Environmental precautions:	Wear protective clothing. Ensure adequate ventilation Do not allow to enter sewers/ surface or ground v Inform respective authorities in case of seepage system.	vater. into water course or sewage
6.3 Methods and material for		ite peid bigdene universal bigder
containment and cleaning up:	Absorb with liquid-binding material (sand, diatom sawdust).	
	Dispose contaminated material as waste accordin Absorb liquid components with liquid-binding mat	ng to item 13. rerial
6.4 Reference to other sections	See Section 7 for information on safe handling.	
	See Section 8 for information on personal protect See Section 13 for disposal information.	tion equipment.
SECTION 7: Handling and storage		
• 7.1 Precautions for safe handling	Keep away from heat and direct sunlight. Ensure good interior ventilation, especially at floo air).	or level. (Fumes are heavier than
Information about fire - and explosion protection:	Do not spray onto a naked flame or any incandes	
 Requirements to be met by storerooms and receptacles: 	Observe official regulations on storing packaging Store only in the original receptacle. Store in a cool location.	s with pressurised containers.
Information about storage in one common storage facility:	Store away from oxidising agents.	
· Further information about storage	Store away from toodstutts	
	Store away from foodstuffs.	
conditions:	Store in a cool place. Heat will increase pressure	and may lead to the receptacle
conditions:		and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers	Store in a cool place. Heat will increase pressure bursting. No further relevant information available.	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers	Store in a cool place. Heat will increase pressure bursting. No further relevant information available.	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers • Additional information about design of technical facilities: • 8.1 Control parameters	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. sonal protection No further data; see item 7.	and may lead to the receptacle
 conditions: 7.3 Specific end use(s) SECTION 8: Exposure controls/pers Additional information about design of technical facilities: 8.1 Control parameters Ingredients with limit values that require m 	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. sonal protection No further data; see item 7.	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers • Additional information about design of technical facilities: • 8.1 Control parameters • Ingredients with limit values that require m 2,6-Di-tert-butyl-p-kresol	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. sonal protection No further data; see item 7.	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers • Additional information about design of technical facilities: • 8.1 Control parameters • Ingredients with limit values that require m 2,6-Di-tert-butyl-p-kresol WEL Long-term value: 10 mg/m ³	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. sonal protection No further data; see item 7.	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers • Additional information about design of technical facilities: • 8.1 Control parameters • Ingredients with limit values that require m 2,6-Di-tert-butyl-p-kresol	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. sonal protection No further data; see item 7.	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers • Additional information about design of technical facilities: • 8.1 Control parameters • Ingredients with limit values that require m 2,6-Di-tert-butyl-p-kresol WEL Long-term value: 10 mg/m ³ • DNELs 2,6-Di-tert-butyl-p-kresol Dermal DNEL Long-term - systemic effectives	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. sonal protection No further data; see item 7. onitoring at the workplace: ects 8.3 mg/kg bw/day (wrk)	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers • Additional information about design of technical facilities: • 8.1 Control parameters • Ingredients with limit values that require m 2,6-Di-tert-butyl-p-kresol WEL Long-term value: 10 mg/m ³ • DNELs 2,6-Di-tert-butyl-p-kresol Dermal DNEL Long-term - systemic effi- Inhalative DNEL Long-term - systemic effi-	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. sonal protection No further data; see item 7. onitoring at the workplace: ects 8.3 mg/kg bw/day (wrk)	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers • Additional information about design of technical facilities: • 8.1 Control parameters • Ingredients with limit values that require m 2,6-Di-tert-butyl-p-kresol WEL Long-term value: 10 mg/m ³ • DNELs 2,6-Di-tert-butyl-p-kresol Dermal DNEL Long-term - systemic effi- Inhalative DNEL Long-term - systemic effi-	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. sonal protection No further data; see item 7. onitoring at the workplace: ects 8.3 mg/kg bw/day (wrk)	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers • Additional information about design of technical facilities: • 8.1 Control parameters • Ingredients with limit values that require m 2,6-Di-tert-butyl-p-kresol WEL Long-term value: 10 mg/m ³ • DNELs 2,6-Di-tert-butyl-p-kresol Dermal DNEL Long-term - systemic effi- Inhalative DNEL Long-term - systemic effi- PNECs 2,6-Di-tert-butyl-p-kresol	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. Sonal protection No further data; see item 7. onitoring at the workplace: ects 8.3 mg/kg bw/day (wrk) ects 5.8 mg/m ³ (wrk)	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers • Additional information about design of technical facilities: • 8.1 Control parameters • Ingredients with limit values that require m 2,6-Di-tert-butyl-p-kresol WEL Long-term value: 10 mg/m ³ • DNELs 2,6-Di-tert-butyl-p-kresol Dermal DNEL Long-term - systemic effi- Inhalative DNEL Long-term - systemic effi-	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. Sonal protection No further data; see item 7. onitoring at the workplace: ects 8.3 mg/kg bw/day (wrk) ects 5.8 mg/m ³ (wrk) 1.04 mg/kg ()	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers • Additional information about design of technical facilities: • 8.1 Control parameters • Ingredients with limit values that require m 2,6-Di-tert-butyl-p-kresol WEL Long-term value: 10 mg/m ³ • DNELs 2,6-Di-tert-butyl-p-kresol Dermal DNEL Long-term - systemic effe Inhalative DNEL Long-term - systemic effe • PNECs 2,6-Di-tert-butyl-p-kresol PNEC Soil (Boden) PNEC Fresh water sediment (Süßwassers PNEC freshwater (Süßwasser)	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. Sonal protection No further data; see item 7. onitoring at the workplace: ects 8.3 mg/kg bw/day (wrk) ects 5.8 mg/m ³ (wrk) 1.04 mg/kg () 1.29 mg/kg () 0.004 mg/l ()	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers • Additional information about design of technical facilities: • 8.1 Control parameters • Ingredients with limit values that require m 2,6-Di-tert-butyl-p-kresol WEL Long-term value: 10 mg/m ³ • DNELs 2,6-Di-tert-butyl-p-kresol Dermal DNEL Long-term - systemic effi- Inhalative DNEL Long-term - systemic effi- Inhalative DNEL Long-term - systemic effi- PNECs 2,6-Di-tert-butyl-p-kresol PNEC Soil (Boden) PNEC Fresh water sediment (Süßwassers PNEC freshwater (Süßwasser) PNEC marine water (Meerwasser)	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. Sonal protection No further data; see item 7. onitoring at the workplace: ects 8.3 mg/kg bw/day (wrk) ects 5.8 mg/m ³ (wrk) 1.04 mg/kg () 1.29 mg/kg () 0.004 mg/l () 0.004 mg/l ()	and may lead to the receptacle
conditions: • 7.3 Specific end use(s) SECTION 8: Exposure controls/pers • Additional information about design of technical facilities: • 8.1 Control parameters • Ingredients with limit values that require m 2,6-Di-tert-butyl-p-kresol WEL Long-term value: 10 mg/m ³ • DNELs 2,6-Di-tert-butyl-p-kresol Dermal DNEL Long-term - systemic effe Inhalative DNEL Long-term - systemic effe • PNECs 2,6-Di-tert-butyl-p-kresol PNEC Soil (Boden) PNEC Fresh water sediment (Süßwassers PNEC freshwater (Süßwasser)	Store in a cool place. Heat will increase pressure bursting. No further relevant information available. Sonal protection No further data; see item 7. onitoring at the workplace: ects 8.3 mg/kg bw/day (wrk) ects 5.8 mg/m ³ (wrk) 1.04 mg/kg () 1.29 mg/kg () 0.004 mg/l () 0.004 mg/l ()	

Printing date 02.11.2017

Version number 1801

Revision: 02.11.2017

Trade name: NitramOil		
	(Contd. of page 2)	
 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: 	Do not eat or drink while working.	
Despiratory protection	Wash hands before breaks and at the end of work.	
 Respiratory protection: Protection of hands: 	Not required. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation	
 Material of gloves 	Nitrile rubber, NBR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.	
Penetration time of glove material	Value for the permeation: Level ≤ 0,7 mm 480min (8h) EN374 The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.	
Eye protection:	Not required.	
SECTION 9: Physical and chemical properties		
 9.1 Information on basic physical and General Information Appearance: 	chemical properties	
Form:	Aerosol	

SECTION 10: Stability and reactivity

No further relevant information available.

10.1 Reactivity
10.2 Chemical stability
Thermal decomposition / conditions to be avoided: No decomposition if used accord No dangerous reactions known.

No decomposition if used according to specifications.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.11.2017

Version number 1801

Revision: 02.11.2017

Version number 1801		
No further relevant information available.	(Contd. of page	
Hazardous thermal decomposition products may ir	nclude: Formaldehyde, Carbon	
dioxide, Carbon monoxide, Methanol	, .	
ation		
cts Based on available data, the classification criteria	are not met	
	are not met.	
n pritorio pro not mot		
יו טווכוום מול ווטו ווולו.		
n criteria are not met.		
Based on available data, the classification criteria	are not met.	
(and toxicity for reproduction)		
Based on available data, the classification criteria	are not met.	
Based on available data, the classification criteria	are not met.	
Based on available data, the classification criteria	are not met.	
Based on available data, the classification criteria	are not met.	
Based on available data, the classification criteria	are not met.	
on		
EC50 (72h) 0.42 mg/l (Desmodesmus subspicatus/Grünalge) LC50 (72h) >0.57 mg/l (danio rerio/ Zebrabärbling)		
0,		
No further relevant information available.		
No further relevant information available.		
No further relevant information available.		
Water hazard class 1 (German Regulation) (Self-a	ssessment): slightly hazardous	
for water		
for water Do not allow undiluted product or large quantities of		
for water Do not allow undiluted product or large quantities of course or sewage system. ment		
for water Do not allow undiluted product or large quantities of course or sewage system. ment Not applicable.		
for water Do not allow undiluted product or large quantities of course or sewage system. ment		
for water Do not allow undiluted product or large quantities of course or sewage system. ment Not applicable. Not applicable. No further relevant information available.		
for water Do not allow undiluted product or large quantities of course or sewage system. ment Not applicable. Not applicable.		
for water Do not allow undiluted product or large quantities of course or sewage system. ment Not applicable. Not applicable. No further relevant information available.	of it to reach ground water, water	
for water Do not allow undiluted product or large quantities of course or sewage system. ment Not applicable. Not applicable. No further relevant information available. ions Must not be disposed together with household gar	of it to reach ground water, water	
for water Do not allow undiluted product or large quantities of course or sewage system. ment Not applicable. Not applicable. No further relevant information available. ions Must not be disposed together with household garl reach sewage system. Disposal must be made according to official regula	of it to reach ground water, water	
for water Do not allow undiluted product or large quantities of course or sewage system. ment Not applicable. Not applicable. No further relevant information available. ions Must not be disposed together with household gard reach sewage system.	of it to reach ground water, water	
	No further relevant information available. Hazardous thermal decomposition products may in dioxide, Carbon monoxide, Methanol ation cts Based on available data, the classification criteria n: n criteria are not met. m criteria are not met. Based on available data, the classification criteria m criteria are not met. Based on available data, the classification criteria Based on available data, the classification	

• **14.2 UN proper shipping name** • ADR

1950 AEROSOLS

(Contd. on page 5) GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.11.2017

Version number 1801

Revision: 02.11.2017

1 mang date 62.11.2017			
Trade name: NitramOil			
• IMDG • IATA • 14.3 Transport hazard class(es) • ADR	(Contd. of page 4) AEROSOLS, non-flammable		
· Class · Label · IMDG, IATA	2 5A Gases. 2.2		
	2.2		
· Class · Label	2.2		
 • 14.4 Packing group • ADR, IMDG, IATA 	Void		
 • 14.5 Environmental hazards: • Marine pollutant: • 14.6 Special precautions for user 	No Warning: Gases.		
Danger code (Kemler): EMS Number:	- F-D,S-U		
EMS Number: Stowage Code Segregation Code	 SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate 		
• 14.7 Transport in bulk according to An the IBC Code	subdivision of class 2. ex II of Marpol and Not applicable.		
 Transport/Additional information: ADR Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E0 Not permitted as Excepted Quantity		
Transport category Tunnel restriction code	3 E		
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E0 Not permitted as Excepted Quantity		
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.2		
SECTION 15: Regulatory information			
-	gulations/legislation specific for the substance or mixture		
 Directive 2012/18/EU Named dangerous substances - ANNEX REGULATION (EC) No 1907/2006 	None of the ingredients is listed.		
ANNEX XVII • 15.2 Chemical safety assessment:	Conditions of restriction: 3 A Chemical Safety Assessment has not been carried out.		
SECTION 16: Other information			
	owledge. However, this shall not constitute a guarantee for any specific product id contractual relationship.		
 Department issuing SDS: Abbreviations and acronyms: 	Environment protection department. ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic (Contd. on page 6)		
	(Conta. on page 6) GB		

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.11.2017

Version number 1801

Revision: 02.11.2017

Trade name: NitramOil

vPvB: very Persistent and very Bioaccumulative Aerosol 3: Aerosols – Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

(Contd. of page 5)

GB

 * Data compared to the previous version altered.