

# safety data sheet

# to product

# **GC Unifast Trad Liquid**

## 1. Identification of the substance / preparation and company

## **Emergency number:**

Tox Info Suisse, Freiestrasse 16, 8032 Zürich; Tox-Info Suisse: 145 (24h-operation); info@toxinfo.ch; **In case of emergency: Tel. 145**; (abroad: +41 44 251 51 51); information: +41 44 251 66 66

### Company name:

| Company name:                       |                                |   |
|-------------------------------------|--------------------------------|---|
| abcdental absolutely best choice    | abc dental ag                  | Gaswerkstrasse 6, 8952 Schlieren<br>Tel. 044 755 51 00, Fax 044 755 51 01         |
| CINDOR  A MHENRY SCHEIN* COMPANY    | Condor Dental Research CO Sàrl | Ch. des Cibleries 2, CP 300, 1896 Vouvry<br>Tel. 024 482 61 61, Fax 024 482 61 69 |
| curaden<br>dentaldepot              | Curaden AG Dentaldepot         | Riedstrasse 12, 8953 Dietikon<br>Tel. 041 319 45 00, Fax 041 319 45 90            |
| dema<br>dent                        | dema dent AG                   | Furtbachstrasse 16, 8107 Buchs<br>Tel. 044 838 65 65, Fax 044 838 65 66           |
| Flexdental                          | Flexdental Services SA         | Route de la Corniche 1, 1066 Epalinges<br>Tel. 0848 336 825, Fax 021 907 67 02    |
| JORDI RÖNTgentechnik                | Jordi Röntgentechnik AG        | Dammstrasse 70, 4142 Münchenstein<br>Tel. 061 417 93 93, Fax 061 417 93 94        |
| KALADENT                            | Kaladent AG                    | Schachenstrasse 2, 9016 St. Gallen<br>Tel. 071 282 80 80, Fax 071 282 80 81       |
| LOMETRAL<br>Die Zahnarztausstatter. | Lometral AG                    | Binzenholzstrasse 20, 5704 Egliswil<br>Tel. 062 775 05 05, Fax 062 775 33 07      |
| //O//ADENT                          | Novadent AG                    | Sägereistrasse 17, 8152 Glattbrugg<br>Tel. 044 880 20 20, Fax 044 811 04 40       |
| Cmart                               |                                |   |

**Smart Dentist AG** 

Verenastrasse 4b, 8832 Wollerau

Tel. 044 726 20 20, Fax 044 726 20 25



Printing date 02.08.2018 Version number 3 Revision: 22.06.2017

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: GC Unifast TRAD Liquid
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxillary for dental technology
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

GC EUROPE N.V. Interleuvenlaan 33 B-3001 Leuven Tel. +32/(0)16/74.10.00 Fax +32/(0)16/40.26.84

msds@gc.dental

• Further information obtainable from: Regulatory affairs • 1.4 Emergency telephone number:

National poison center for United Kingdom of Great Britain and Northern Ireland:

Belfast: +44 28 90 63 2032 Birmingham: +44 121 507 4123 Edinburgh: +44 131 242 1383

Newcastle Upon Tyne: +44 191 2606182/+44 191 2606180

Penarth: +44 292 071 55 54

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device.

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

Exempt from requirements - product regulated as a medical device or an in vitro diagnostic medical device. The product is classified and labelled according to the CLP regulation.

· Hazard pictograms





GHS02

GHS07

· Signal word Danger

Printing date 02.08.2018 Version number 3 Revision: 22.06.2017

Trade name: GC Unifast TRAD Liquid

(Contd. of page 1)

#### · Hazard-determining components of labelling:

Methyl methacrylate

2-(2H-benzotriazol-2-yl)-p-cresol

Ethyleneglycol dimethacrylate

#### · Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P272 Contaminated work clothing should not be allowed out of the workplace.

*P280* Wear protective gloves / eye protection / face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT**: Not applicable. · **vPvB**: Not applicable.

## SECTION 3: Composition/information on ingredients

#### · 3.2 Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

| · Dangerous components:                         |  |           |
|---|--|-----------|
| CAS: 80-62-6                                    | Methyl methacrylate  | 90-<100%  |
| EINECS: 201-297-1<br>Index number: 607-035-00-6 | Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335                         |           |
| CAS: 99-97-8                                    | N,N-dimethyl-p-toluidine   | 1-<2.5%   |
| EINECS: 202-805-4<br>Index number: 612-056-00-9 | Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 2, H373; Aquatic Chronic 3, H412 |           |
| CAS: 2440-22-4                                  | 2-(2H-benzotriazol-2-yl)-p-cresol  | 0.5-<1%   |
| EINECS: 219-470-5                               | Acute Tox. 2, H330; Aquatic Chronic 1, H410; Skin Sens. 1, H317                                      |           |
| CAS: 97-90-5                                    | Ethyleneglycol dimethacrylate  | 0.1-<0.2% |
| EINECS: 202-617-2                               | Skin Sens. 1, H317; STOT SE 3, H335  |           |
| Index number: 607-114-00-5                      |  |           |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

GB

Printing date 02.08.2018 Version number 3 Revision: 22.06.2017

Trade name: GC Unifast TRAD Liquid

(Contd. of page 2)

#### SECTION 4: First aid measures

#### · 4.1 Description of first aid measures

· General information:

*Immediately remove any clothing soiled by the product.* 

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Do not use mouth to mouth or mouth to nose resuscitation.

Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water.

If symptoms persist consult doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- · 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Keep away from ignition sources.

Avoid contact with the eyes and skin.

Wear protective clothing.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

(Contd. on page 4)

Printing date 02.08.2018 Version number 3 Revision: 22.06.2017

Trade name: GC Unifast TRAD Liquid

(Contd. of page 3)

#### · 6.3 Methods and material for containment and cleaning up:

Ensure adequate ventilation.

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

#### · Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Do not spray onto a naked flame or any incandescent material.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Store only in unopened original receptacles.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store in a cool place.

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

|       | dients with limit values that require monitoring at the workplace: |
|-------|--|
| 80-62 | -6 Methyl methacrylate   |
|       | Short-term value: 416 mg/m³, 100 ppm                               |
|       | Long-term value: 208 mg/m³, 50 ppm                                 |
|       |  |

### · DNELs

#### 80-62-6 Methyl methacrylate

| Dermal     | DNEL dermal     | 13.67 mg/kg bw/day (man) (worker, l. te., syst.) |
|------------|-----------------|--|
| Inhalative | DNFL inhalation | 208 mg/m3 (air) (worker 1 te syst)               |

#### · PNECs

#### 99-97-8 N,N-dimethyl-p-toluidine

PNEC Aqua | 152.59 µg/L (freshwater)

(Contd. on page 5)

Printing date 02.08.2018 Version number 3 Revision: 22.06.2017

Trade name: GC Unifast TRAD Liquid

(Contd. of page 4)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Colour: Yellow
Odour: Characteristic
Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/freezing point:  $-48 \, ^{\circ}C$ Initial boiling point and boiling range:  $100 \, ^{\circ}C$ 

· Flash point: 10 °C

· Flammability (solid, gas): Not applicable.

· Ignition temperature: Undetermined.

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

(Contd. on page 6)

Printing date 02.08.2018 Version number 3 Revision: 22.06.2017

Trade name: GC Unifast TRAD Liquid

|   | (Contd. of page                               |
|---|---|
| · Explosive properties:                 | Product does not present an explosion hazard. |
| · Explosion limits:                     |   |
| Lower:                                  | Not determined.                               |
| Upper:                                  | Not determined.                               |
| · Vapour pressure:                      | Not determined.                               |
| Density at 20 °C:                       | 0.9 g/cm <sup>3</sup>                         |
| · Relative density                      | Not determined.                               |
| · Vapour density                        | Not determined.                               |
| · Evaporation rate                      | Not determined.                               |
| · Solubility in / Miscibility with      |   |
| water at 20 °C:                         | 0.15 g/l                                      |
|   | Insoluble.                                    |
| Partition coefficient: n-octanol/water: | Not determined.                               |
| · Viscosity:                            |   |
| Dynamic:                                | Not determined.                               |
| Kinematic:                              | Not determined.                               |
| · Solvent content:                      |   |
| VOC (EC)                                | 0.0  g/l                                      |
| · 9.2 Other information                 | No further relevant information available.    |

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- $\cdot$  10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 values relevant for classification: |            |                           |
|---|------------|---------------------------|
| 80-62-6 M                                     | ethyl meth | acrylate                  |
| Oral  | LD50       | 6000 mg/kg (rabbit)       |
| Dermal  | LD50       | >5000 mg/kg (rab)         |
| Inhalative                                    | LC50/4 h   | 29.8 mg/l (rat (f+m))     |
| 99-97-8 N,                                    | N-dimethy  | rl-p-toluidine            |
| Oral  | LD50       | 1650 mg/kg (rat (f+m))    |
| Dermal  | LD50       | >2000 mg/kg (rabbit)      |
| Inhalative                                    | LC50/4 h   | 1.4 $mg/l$ (rat $(f+m)$ ) |

(Contd. on page 7)

Printing date 02.08.2018 Version number 3 Revision: 22.06.2017

Trade name: GC Unifast TRAD Liquid

|            |             | (Contd. of page 6)       |
|------------|-------------|--------------------------|
| 2440-22-4  | 2-(2H-ben   | zotriazol-2-yl)-p-cresol |
| Oral       | LD50        | 10000 mg/kg (rat (f+m))  |
| Inhalative | LC50/4 h    | 0.59  mg/l  (rat  (f+m)) |
| 97-90-5 Et | thyleneglyo | col dimethacrylate       |
| Oral       | LD50        | 8700 mg/kg (rat (f+m))   |
| Dermal     | LD50        | >2000 mg/kg (rat (f+m))  |

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · Repeated dose toxicity No further relevant information available.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity:

#### 99-97-8 N,N-dimethyl-p-toluidine

LC50/96h 46 mg/L (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Printing date 02.08.2018 Version number 3 Revision: 22.06.2017

Trade name: GC Unifast TRAD Liquid

|          | (Contd. of page 7)  |
|----------|---|
| · Europe | ın waste catalogue  |
| 18 00 0  | WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care) |
| 18 01 0  | wastes from natal care, diagnosis, treatment or prevention of disease in humans   |
| 18 01 06 | * chemicals consisting of or containing dangerous substances  |

- Uncleaned packaging:
   Recommendation: Disposal must be made according to official regulations.

| 14.1 UN-Number<br>ADR, IMDG, IATA                 | UN1247  |
|---|---|
| 14.2 UN proper shipping name<br>ADR<br>IMDG, IATA | 1247 METHYL METHACRYLATE MONOMER, STABILIZED<br>METHYL METHACRYLATE MONOMER, STABILIZED |
| 14.3 Transport hazard class(es)                   |   |
| ADR   |   |
|   |   |
| Class   | 3 (F1) Flammable liquids.   |
| Label   | 3   |
| IMDG, IATA  |   |
|   |   |
| Class   | 3 Flammable liquids.  |
| Label   | 3   |
| 14.4 Packing group                                |   |
| ADR, IMDG, IATA                                   | II  |
| 14.5 Environmental hazards:<br>Marine pollutant:  | No  |
| 14.6 Special precautions for user                 | Warning: Flammable liquids.   |
| Danger code (Kemler):                             | 339   |
| EMS Number:                                       | F- $E$ , $S$ - $D$  |
| 14.7 Transport in bulk according to Ann           | ex II of  |
| Marpol and the IBC Code                           | Not applicable.   |

Printing date 02.08.2018 Version number 3 Revision: 22.06.2017

Trade name: GC Unifast TRAD Liquid

| · Transport/Additional information: |   |
|-------------------------------------|---|
| · <i>ADR</i>                        |   |
| · Limited quantities (LQ)           | 1L  |
| · Excepted quantities (EQ)          | Code: E2  |
|                                     | Maximum net quantity per inner packaging: 30 ml         |
|                                     | Maximum net quantity per outer packaging: 500 ml        |
| · Transport category                | 2   |
| · Tunnel restriction code           | D/E   |
| · IMDG                              |   |
| · Limited quantities (LQ)           | 1L  |
| · Excepted quantities (EQ)          | Code: E2  |
|                                     | Maximum net quantity per inner packaging: 30 ml         |
|                                     | Maximum net quantity per outer packaging: 500 ml        |
| · UN ''Model Regulation'':          | UN 1247 METHYL METHACRYLATE MONOMER<br>STABILIZED, , II |

## SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

· Relevant phrases

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

- · Classification according to Regulation (EC) No 1272/2008 Calculation method
- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 10)

Printing date 02.08.2018 Version number 3 Revision: 22.06.2017

Trade name: GC Unifast TRAD Liquid

(Contd. of page 9)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity - Category 3 Acute Tox. 2: Acute toxicity - Category 2

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

#### · Sources

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)

### \* Data compared to the previous version altered.

This version replaces all previous versions.

#### Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.