

## safety data sheet

### to product

## UNIDENT Unisepta Plus Wipes Disinf. Refill Lemon

### 1. Identification of the substance / preparation and company

#### Emergency number:

Tox Info Suisse, Freiestrasse 16, 8032 Zürich; Tox-Info Suisse: 145 (24h-operation); [info@toxinfo.ch](mailto:info@toxinfo.ch);  
**In case of emergency: Tel. 145;** (abroad: +41 44 251 51 51); information: +41 44 251 66 66

#### Company name:



abc dental ag

Gaswerkstrasse 6, 8952 Schlieren  
Tel. 044 755 51 00, Fax 044 755 51 01



Condor Dental Research CO Sàrl

Ch. des Ciberles 2, CP 300, 1896 Vouvry  
Tel. 024 482 61 61, Fax 024 482 61 69



Curaden AG Dentaldepot

Riedstrasse 12, 8953 Dietikon  
Tel. 041 319 45 00, Fax 041 319 45 90



dema dent AG

Furtbachstrasse 16, 8107 Buchs  
Tel. 044 838 65 65, Fax 044 838 65 66



Flexdental Services SA

Route de la Corniche 1, 1066 Epalinges  
Tel. 0848 336 825, Fax 021 907 67 02



Jordi Röntgentechnik AG

Dammstrasse 70, 4142 Münchenstein  
Tel. 061 417 93 93, Fax 061 417 93 94



Kaladent AG

Schachenstrasse 2, 9016 St. Gallen  
Tel. 071 282 80 80, Fax 071 282 80 81



Lometral AG

Binzenholzstrasse 20, 5704 Egliswil  
Tel. 062 775 05 05, Fax 062 775 33 07



Novadent AG

Sägereistrasse 17, 8152 Glattbrugg  
Tel. 044 880 20 20, Fax 044 811 04 40



Smart Dentist AG

Verenastrasse 4b, 8832 Wollerau  
Tel. 044 726 20 20, Fax 044 726 20 25

**UNISEPTA PLUS WIPES**

**Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

Product name : UNISEPTA PLUS WIPES  
UFI : EKV0-X5MA-1G0U-JJCX  
Product code : 3007000  
Use of the Substance/Mixture : Disinfectant  
Substance type: : Mixture

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Recommended restrictions on use : Reserved for industrial and professional use.

**1.3 Details of the supplier of the safety data sheet**

Company : Laboratoires ANIOS  
1 rue de l'Espoir  
59260 Lezennes, France Tel. + 33 (0)3 20 67 67 67  
Fax. + 33 (0)3 20 67 67 68  
fds@anios.com

**1.4 Emergency telephone number**

Emergency telephone number : +32-(0)3-575-5555 Trans-European  
Poison Information Centre telephone number : +47 22 59 13 00

Date of Compilation/Revision : 22.03.2022  
Version : 1.0

**Section: 2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008)**

Flammable liquids, Category 2 H225  
Eye irritation, Category 2 H319

**2.2 Label elements**

**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



**UNISEPTA PLUS WIPES**

|                          |   |  |
|--------------------------|---|--|
| Signal Word              | : Danger                                  |  |
| Hazard Statements        | : H225<br>H319                            | Highly flammable liquid and vapour.<br>Causes serious eye irritation.  |
| Precautionary Statements | : <b>Prevention:</b><br>P210<br><br>P280e | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.<br><br>Wear eye protection/face protection. |

**2.3 Other hazards**

None known.

**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

**Hazardous components**

| Chemical Name  | CAS-No.<br>EC-No.<br>REACH No.           | Classification<br>REGULATION (EC) No 1272/2008  | Concentration<br>: [%] |
|--|--|---|------------------------|
| ethanol  | 64-17-5<br>200-578-6<br>01-2119457610-43 | Flammable liquids Category 2; H225<br>Serious eye damage/eye irritation<br>Category 2; H319<br><br>Serious eye damage/eye irritation<br>Category 2A<br>50 - 100 %                               | >= 50 - <= 100         |
| Isopropyl Alcohol  | 67-63-0<br>200-661-7<br>01-2119457558-25 | Flammable liquids Category 2; H225<br>Eye irritation Category 2; H319<br>Specific target organ toxicity - single exposure Category 3; H336  | >= 1 - < 2.5           |
| Poly(oxy-1,2-ethanediyl),<br>α-[2-(didecylmethylammonio)ethyl]-ω-hydroxy-,<br>propanoate | 94667-33-1<br>01-2119950327-36           | Acute toxicity Category 4; H302<br>Skin corrosion Sub-category 1B; H314<br>Acute aquatic toxicity Category 1; H400<br>Chronic aquatic toxicity Category 1; H410<br><br>M = 10<br>M(Chronic) = 1 | >= 0.1 - < 0.25        |

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Section: 4. FIRST AID MEASURES**

**4.1 Description of first aid measures**

|                         |   |
|-------------------------|---|
| In case of eye contact  | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention. |
| In case of skin contact | : Rinse with plenty of water.   |
| If swallowed            | : Rinse mouth. Get medical attention if symptoms occur.   |
| If inhaled              | : Get medical attention if symptoms occur.  |

**UNISEPTA PLUS WIPES**

**4.2 Most important symptoms and effects, both acute and delayed**

See Section 11 for more detailed information on health effects and symptoms.

**4.3 Indication of immediate medical attention and special treatment needed**

Treatment : Treat symptomatically.

**Section: 5. FIREFIGHTING MEASURES**

**5.1 Extinguishing media**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting : Fire Hazard  
Keep away from heat and sources of ignition.  
Flash back possible over considerable distance.  
Beware of vapours accumulating to form explosive concentrations.  
Vapours can accumulate in low areas.

Hazardous combustion products : Depending on combustion properties, decomposition products may include following materials:  
Carbon oxides  
nitrogen oxides (NOx)

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Use personal protective equipment.

Further information : Use water spray to cool unopened containers. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

**Section: 6. ACCIDENTAL RELEASE MEASURES**

**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel : Remove all sources of ignition. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

**6.2 Environmental precautions**

Environmental precautions : Do not allow contact with soil, surface or ground water.

**UNISEPTA PLUS WIPES**

**6.3 Methods and materials for containment and cleaning up**

Methods for cleaning up : Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

**6.4 Reference to other sections**

See Section 1 for emergency contact information.  
 For personal protection see section 8.  
 See Section 13 for additional waste treatment information.

**Section: 7. HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

Advice on safe handling : Avoid contact with skin and eyes. Use only with adequate ventilation. Handle at room temperature. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. Open drum carefully as content may be under pressure. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Keep away from heat and sources of ignition. Keep in a cool, well-ventilated place. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Storage temperature : 5 °C to 25 °C

**7.3 Specific end uses**

**Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

**Occupational Exposure Limits**

| Components        | CAS-No. | Value type (Form of exposure) | Control parameters   | Basis               |
|-------------------|---------|-------------------------------|----------------------|---------------------|
| ethanol           | 64-17-5 | TWA                           | 500 ppm<br>950 mg/m3 | FOR-2011-12-06-1358 |
| Isopropyl Alcohol | 67-63-0 | TWA                           | 100 ppm<br>245 mg/m3 | FOR-2011-12-06-1358 |

**UNISEPTA PLUS WIPES**

**DNEL**

|                   |   |
|-------------------|---|
| Isopropyl Alcohol | <p>: End Use: Workers<br/>Exposure routes: Dermal<br/>Potential health effects: Long-term systemic effects<br/>888 mg/kg</p> <p>End Use: Workers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term systemic effects<br/>Value: 500 mg/m<sup>3</sup></p> <p>End Use: Consumers<br/>Exposure routes: Dermal<br/>Potential health effects: Long-term systemic effects<br/>319 mg/kg</p> <p>End Use: Consumers<br/>Exposure routes: Inhalation<br/>Potential health effects: Long-term systemic effects<br/>Value: 89 mg/m<sup>3</sup></p> <p>End Use: Consumers<br/>Exposure routes: Ingestion<br/>Potential health effects: Long-term systemic effects<br/>26 mg/kg</p> |
|-------------------|---|

**PNEC**

|                   |  |
|-------------------|--|
| Isopropyl Alcohol | <p>: Fresh water<br/>Value: 140.9 mg/l</p> <p>Marine water<br/>Value: 140.9 mg/l</p> <p>Intermittent use/release<br/>Value: 140.9 mg/l</p> <p>Fresh water<br/>Value: 552 mg/kg</p> <p>Marine sediment<br/>Value: 552 mg/kg</p> <p>Soil<br/>Value: 28 mg/kg</p> <p>Sewage treatment plant<br/>Value: 2251 mg/l</p> <p>Oral<br/>Value: 160 mg/kg</p> |
|-------------------|--|

**8.2 Exposure controls**

**Appropriate engineering controls**

**UNISEPTA PLUS WIPES**

Engineering measures : Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.

**Individual protection measures**

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

Eye/face protection (EN 166) : Safety glasses with side-shields

Hand protection (EN 374) : For prolonged or repeated contact use protective gloves.

Skin and body protection (EN 14605) : No special protective equipment required.

Respiratory protection (EN 143, 14387) : None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.A-P

**Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

**Section: 9. PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties**

Physical state : liquid

Colour : clear, colourless

Odour : odourized

pH : 5.5 - 6.0, 100 %

**Particle characteristics**

Assessment : not applicable

Particle size : not applicable

Particle Size Distribution : not applicable

Dustiness : not applicable

Specific surface area : not applicable

Surface charge/Zeta potential : not applicable

Shape : not applicable

Crystallinity : not applicable

Surface treatment /Coatings : not applicable

Flash point : 22 °C

Odour Threshold : Not applicable and/or not determined for the mixture

**UNISEPTA PLUS WIPES**

|  |  |
|--|--|
| Melting point/freezing point                           | : Not applicable and/or not determined for the mixture |
| Boiling point, initial boiling point and boiling range | : Not applicable and/or not determined for the mixture |
| Evaporation rate                                       | : Not applicable and/or not determined for the mixture |
| Flammability   | : Not applicable and/or not determined for the mixture |
| Upper explosion limit                                  | : Not applicable and/or not determined for the mixture |
| Lower explosion limit                                  | : Not applicable and/or not determined for the mixture |
| Vapour pressure  | : Not applicable and/or not determined for the mixture |
| Relative vapour density                                | : Not applicable and/or not determined for the mixture |
| Density and / or relative density                      | : 0.898 - 0.904  |
| Water solubility                                       | : Not applicable and/or not determined for the mixture |
| Solubility in other solvents                           | : Not applicable and/or not determined for the mixture |
| Partition coefficient: n-octanol/water (log value)     | : Not applicable and/or not determined for the mixture |
| Auto-ignition temperature                              | : Not applicable and/or not determined for the mixture |
| Thermal decomposition                                  | : Not applicable and/or not determined for the mixture |
| Viscosity, kinematic                                   | : Not applicable and/or not determined for the mixture |
| Explosive properties                                   | : Not applicable and/or not determined for the mixture |
| Oxidizing properties                                   | : Not applicable and/or not determined for the mixture |

**9.2 Other information**

Not applicable and/or not determined for the mixture

**Section: 10. STABILITY AND REACTIVITY**

**10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No dangerous reaction known under conditions of normal use.

**10.4 Conditions to avoid**

Heat, flames and sparks.

**10.5 Incompatible materials**

None known.

**10.6 Hazardous decomposition products**

Depending on combustion properties, decomposition products may include following materials:



**UNISEPTA PLUS WIPES**

Carbon oxides  
nitrogen oxides (NOx)

**Section: 11. TOXICOLOGICAL INFORMATION**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

**Product**

Acute oral toxicity : There is no data available for this product.

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye irritation : There is no data available for this product.

Respiratory or skin sensitization : There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

**Components**

Acute oral toxicity : ethanol LD50 rat: 10,470 mg/kg

Isopropyl Alcohol LD50 rat: 5,840 mg/kg

Poly(oxy-1,2-ethanediyl),  $\alpha$ -[2-(didecylmethylammonio)ethyl]- $\omega$ -hydroxy-, propanoate LD50 rat: 1,157 mg/kg

**Components**

Acute inhalation toxicity : ethanol 4 h LC50 rat: 117 mg/l  
Test atmosphere: vapour

Isopropyl Alcohol 4 h LC50 rat: > 30 mg/l  
Test atmosphere: vapour

**Components**

**UNISEPTA PLUS WIPES**

Acute dermal toxicity : ethanol LD50 rabbit: 15,800 mg/kg  
Isopropyl Alcohol LD50 rabbit: 12,870 mg/kg  
Poly(oxy-1,2-ethanediyl),  $\alpha$ -[2-(didecylmethylammonio)ethyl]- $\omega$ -hydroxy-, propanoate LD50 rabbit: 3,342 mg/kg

**Potential Health Effects**

Eyes : Causes serious eye irritation.  
Skin : Health injuries are not known or expected under normal use.  
Ingestion : Health injuries are not known or expected under normal use.  
Inhalation : Health injuries are not known or expected under normal use.  
Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure**

Eye contact : Redness, Pain, Irritation  
Skin contact : No symptoms known or expected.  
Ingestion : No symptoms known or expected.  
Inhalation : No symptoms known or expected.

**11.2 Information on other hazards**

**Further information** : no data available

**Section: 12. ECOLOGICAL INFORMATION**

**12.1 Toxicity**

Environmental Effects : This product has no known ecotoxicological effects.

**Product**

Toxicity to fish : no data available  
Toxicity to daphnia and other aquatic invertebrates : no data available  
Toxicity to algae : no data available

**Components**

Toxicity to fish : ethanol 96 h LC50 Pimephales promelas (fathead minnow): > 100 mg/l  
Isopropyl Alcohol 96 h LC50 Pimephales promelas (fathead minnow): 9,640 mg/l  
Poly(oxy-1,2-ethanediyl),  $\alpha$ -[2-(didecylmethylammonio)ethyl]- $\omega$ -hydroxy-, propanoate 96 h LC50 Lepomis macrochirus (Bluegill sunfish): 0.52 mg/l

**Components**

**UNISEPTA PLUS WIPES**

Toxicity to daphnia and other aquatic invertebrates : ethanol 48 h EC50 Aquatic Invertebrate: 857 mg/l  
Isopropyl Alcohol LC50 Daphnia magna (Water flea): > 10,000 mg/l  
Poly(oxy-1,2-ethanediyl),  $\alpha$ -[2-(didecylmethylammonio)ethyl]- $\omega$ -hydroxy-, propanoate 48 h EC50 Daphnia magna (Water flea): 0.07 mg/l

**Components**

Toxicity to algae : Poly(oxy-1,2-ethanediyl),  $\alpha$ -[2-(didecylmethylammonio)ethyl]- $\omega$ -hydroxy-, propanoate 72 h EC50 *Desmodesmus subspicatus* (green algae): 0.15 mg/l

**12.2 Persistence and degradability**

**Product**

no data available

**Components**

Biodegradability : ethanol Result: Readily biodegradable.  
Isopropyl Alcohol Result: Readily biodegradable.  
Poly(oxy-1,2-ethanediyl),  $\alpha$ -[2-(didecylmethylammonio)ethyl]- $\omega$ -hydroxy-, propanoate Result: Poorly biodegradable

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

**Product**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Endocrine disrupting properties**

no data available

**12.7 Other adverse effects**

no data available

**Section: 13. DISPOSAL CONSIDERATIONS**

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

**UNISEPTA PLUS WIPES**

**13.1 Waste treatment methods**

- Product : Do not contaminate ponds, waterways or ditches with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations Dispose of wastes in an approved waste disposal facility.
- Contaminated packaging : Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local, state, and federal regulations.
- Guidance for Waste Code selection : Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

**Section: 14. TRANSPORT INFORMATION**

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

**Land transport (ADR/ADN/RID)**

- 14.1 UN number or ID number : 3175
- 14.2 UN proper shipping name : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.  
(Ethanol)
- 14.3 Transport hazard class(es) : 4.1
- 14.4 Packing group : II
- 14.5 Environmental hazards : No
- 14.6 Special precautions for user : None

**Air transport (IATA)**

- 14.1 UN number or ID number : 3175
- 14.2 UN proper shipping name : Solids containing flammable liquid, n.o.s.  
(Ethanol)
- 14.3 Transport hazard class(es) : 4.1
- 14.4 Packing group : II
- 14.5 Environmental hazards : No
- 14.6 Special precautions for user : None

**Sea transport (IMDG/IMO)**

- 14.1 UN number or ID number : 3175
- 14.2 UN proper shipping : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.

**UNISEPTA PLUS WIPES**

name (Ethanol)  
 14.3 Transport hazard : 4.1  
 class(es)  
 14.4 Packing group : II  
 14.5 Environmental hazards : No  
 14.6 Special precautions for user : None  
 14.7 Maritime transport in bulk according to IMO instruments : Not applicable.

**Section: 15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso III: Directive : FLAMMABLE LIQUIDS P5c  
 2012/18/EU of the European Lower tier : 5,000 t  
 Parliament and of the Council Upper tier : 50,000 t  
 on the control of major-  
 accident hazards involving  
 dangerous substances.

**National Regulations**

**Take note of Dir 94/33/EC on the protection of young people at work.**

Other regulations : Health and Safety at Work Act.

**15.2 Chemical Safety Assessment**

Information from the chemical safety assessment of substances present in the product is included in the appropriate sections of this safety data sheet, whenever necessary.

**Section: 16. OTHER INFORMATION**

**Procedure used to derive the classification according to REGULATION (EC) No 1272/2008**

| Classification            | Justification                       |
|---------------------------|-------------------------------------|
| Flammable liquids 2, H225 | Based on product data or assessment |
| Eye irritation 2, H319    | Calculation method                  |

**Full text of H-Statements**

H225 Highly flammable liquid and vapour.  
 H302 Harmful if swallowed.  
 H314 Causes severe skin burns and eye damage.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.

**Full text of other abbreviations**

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -

**UNISEPTA PLUS WIPES**

Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.