

safety data sheet

to product

YETI LUBE refill bottle

1. Identification of the substance / preparation and company

Emergency number:

Tox Info Suisse, Freiestrasse 16, 8032 Zürich; Tox-Info Suisse: 145 (24h-operation); info@toxinfo.ch;
In case of emergency: Tel. 145; (abroad: +41 44 251 51 51); information: +41 44 251 66 66

Company name:



abc dental ag

Gaswerkstrasse 6, 8952 Schlieren
Tel. 044 755 51 00, Fax 044 755 51 01



Condor Dental Research CO Sàrl

Ch. des Ciberles 2, CP 300, 1896 Vouvry
Tel. 024 482 61 61, Fax 024 482 61 69



Curaden AG Dentaldepot

Riedstrasse 12, 8953 Dietikon
Tel. 041 319 45 00, Fax 041 319 45 90



dema dent AG

Furtbachstrasse 16, 8107 Buchs
Tel. 044 838 65 65, Fax 044 838 65 66



Flexdental Services SA

Route de la Corniche 1, 1066 Epalinges
Tel. 0848 336 825, Fax 021 907 67 02



Jordi Röntgentechnik AG

Dammstrasse 70, 4142 Münchenstein
Tel. 061 417 93 93, Fax 061 417 93 94



Kaladent AG

Schachenstrasse 2, 9016 St. Gallen
Tel. 071 282 80 80, Fax 071 282 80 81



Lometral AG

Binzenholzstrasse 20, 5704 Egliswil
Tel. 062 775 05 05, Fax 062 775 33 07



Novadent AG

Sägereistrasse 17, 8152 Glattbrugg
Tel. 044 880 20 20, Fax 044 811 04 40



Smart Dentist AG

Verenastrasse 4b, 8832 Wollerau
Tel. 044 726 20 20, Fax 044 726 20 25

Safety Data Sheet

according to Regulation (EC) No 1907/2006



YETI LUBE

Revision date: 01.02.2018

Product code: 11294-0002

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

YETI LUBE

Further trade names

Article number:

550-0000

550-0001

550-0001M

550-0006

550-0018

550-0250

550-6018

555-0000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

To insulate gypsum plaster from wax

1.3. Details of the supplier of the safety data sheet

Company name: YETI Dentalprodukte GmbH

Street: Industriestrasse 3

Place: D-78234 Engen

Telephone: +49 7733-9410-0

Telefax: +49 7733-9410-22

Responsible Department: sdb@yeti-dental.com

Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone

number:

+49 7733-9410-0 (Mo-Do 8:00 - 16:30, Fr 8:00 - 15:00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes severe skin burns and eye damage.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Sodium tetradecyl sulfate

Signal word: Danger

Pictograms:



Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P260 Do not breathe mist/vapor/spray.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



YETI LUBE

Revision date: 01.02.2018

Product code: 11294-0002

Page 2 of 9

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P363	Wash contaminated clothing before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310	Immediately call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional advice on labelling

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Complex mixture based on: GLYCERIN / Glycerol.

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
139-88-8	Sodium tetradecyl sulfate			10 - < 25 %
	205-380-3			
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B; H312 H302 H314			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.
In case of irritation consult a physician.

After inhalation

Ensure of fresh air. Get medical attention, if respiratory irritation develops or if breathing becomes difficult. In case of the person being unconscious put him/her in a stable side position.

After contact with skin

Wash off with soap and plenty of water. Consult a doctor if skin irritation persists. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Remove contact lens. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek medical treatment by eye specialist.

After ingestion

Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Never give anything by mouth to an unconscious person. Summon a doctor immediately. Do not give neutralising liquids.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



YETI LUBE

Revision date: 01.02.2018

Product code: 11294-0002

Page 3 of 9

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use fire fighting measures that suit the environment and products stored.

5.2. Special hazards arising from the substance or mixture

None

5.3. Advice for firefighters

No specific precautions required.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product. Use personal protection equipment. Keep away noninvolved persons.

6.2. Environmental precautions

Rinse with plenty of water.

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder). Shovel into suitable container for disposal.

Use explosion-proof equipment / fittings and non-sparking tools.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not keep containers unlocked. Observe the minimum standards in accordance with TRGS 500. Handle in accordance with the general hygienic rules. When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Contaminated work clothing should not be allowed out of the workplace. Avoid formation of Aerosols.

Advice on protection against fire and explosion

Vapours are heavier than air. In use, may form flammable/explosive vapour-air mixture. Take precautionary measures against static discharges (earthing (grounding) at pouring).

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Provide solvent-resistant and impermeable floor. Provide floor with bunding. Prevent penetration into the ground. Store in the original container.

Advice on storage compatibility

Keep away from food, drink and animal feeding stuffs. Do not store together with oxidizing and self-igniting products.

Do not store with: Medicinal product, Substances which form flammable gases with water, Organic peroxides.

Further information on storage conditions

Use only in well-ventilated areas. Keep containers tightly closed in a cool, well-ventilated place.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



YETI LUBE

Revision date: 01.02.2018

Product code: 11294-0002

Page 4 of 9

7.3. Specific end use(s)

Application in the dental field for insulating gypsum plaster from wax

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
56-81-5	Glycerol, mist	-	10		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over the use of personal protective equipment.

Protective and hygiene measures

Avoid contact with eyes and skin. Wash hands before breaks and immediately after handling the product. When using do not eat, drink or smoke. Take off immediately all contaminated clothing.

Eye/face protection

Tightly fitting goggles (EN 166).

Hand protection

Protective gloves resistant to chemicals made off butyl, minimum coat thickness 0.7 mm, permeation resistance (wear duration) > 240 minutes, i.e. protective glove <Butoject 898> made by www.kcl.de. This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Respiratory protection

Not necessary.

Environmental exposure controls

Do not empty into drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	according to product specification
Odour:	Characteristic

	Test method
pH-Value (at 20 °C):	9,5 DIN 19268

Changes in the physical state

Melting point:	Not determined
Initial boiling point and boiling range:	100 °C
Sublimation point:	Not determined
Softening point:	Not determined
Pour point:	Not determined
Flash point:	160 °C ISO 1523
Sustaining combustion:	No data available

Flammability

Safety Data Sheet

according to Regulation (EC) No 1907/2006



YETI LUBE

Revision date: 01.02.2018

Product code: 11294-0002

Page 5 of 9

Solid: Not determined

Gas: Not determined

Explosive properties

The product is not explosive. Heating will cause pressure rise with risk of bursting.

Lower explosion limits: 0,9 vol. %

Upper explosion limits: 11,6 vol. %

Ignition temperature: 400 °C

Auto-ignition temperature

Solid: Not determined

Gas: Not determined

Decomposition temperature: Not determined

Oxidizing properties

Not determined

Vapour pressure: 23 hPa
(at 20 °C)

Vapour pressure: Not determined

Density (at 20 °C): 1,12 g/cm³ ISO 2811-1

Bulk density: Not determined

Water solubility: Completely miscible
(at 20 °C)

Solubility in other solvents

Not determined

Partition coefficient: Not determined

Viscosity / dynamic: Not determined

Viscosity / kinematic: Not determined

Flow time: 20 s 6 DIN 53211/4
(at 20 °C)

Vapour density: Not determined

Evaporation rate: Not determined

Solvent separation test: Not determined

Solvent content: 0%

9.2. Other information

Solid content: 16,5%

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed. Heating will cause pressure rise with risk of bursting.

10.2. Chemical stability

Chemically stable.

10.3. Possibility of hazardous reactions

Not known.

10.4. Conditions to avoid

Avoid temperatures above 35 °C. Protect against direct sun radiation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



YETI LUBE

Revision date: 01.02.2018

Product code: 11294-0002

Page 6 of 9

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

The product:

ATEmix/oral: > 2000 mg/kg (Value calculated)

ATEmix/dermal: > 4500 mg/kg (Value calculated)

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
139-88-8	Sodium tetradecyl sulfate				
	oral	ATE mg/kg 500			
	dermal	ATE mg/kg 1100			

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Ingestion of aqueous solution causes gastrointestinal burns.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

No data available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



YETI LUBE

Revision date: 01.02.2018

Product code: 11294-0002

Page 7 of 9

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

This material and its container must be disposed of as hazardous waste. If recycling is not practicable, dispose of in compliance with local regulations. The waste code number must be agreed with the disposer / manufacturer.

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Contaminated packagings are to be treated like the product itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 1760
14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Sodium tetradecyl sulfate)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Classification code: C9
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 1760
14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Sodium tetradecyl sulfate)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Classification code: C9
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

Safety Data Sheet

according to Regulation (EC) No 1907/2006



YETI LUBE

Revision date: 01.02.2018

Product code: 11294-0002

Page 8 of 9

14.1. UN number: UN 1760
14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Sodium tetradecyl sulfate)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Special Provisions: 223, 274
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1760
14.2. UN proper shipping name: CORROSIVE LIQUID, N.O.S. (Sodium tetradecyl sulfate)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Special Provisions: A3 A803
Limited quantity Passenger: 1 L
Passenger LQ: Y841
Excepted quantity: E1
IATA-packing instructions - Passenger: 852
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 856
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 0 %
Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



YETI LUBE

Revision date: 01.02.2018

Product code: 11294-0002

Page 9 of 9

SECTION 16: Other information

Changes

Update 2018

Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (Agreement concerning the international carriage of Dangerous goods by Road)

IMDG-Code: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organisation (IATA: The International Air Transport Association)

GHS: Globally Harmonized System of Classification, Labelling and Packaging of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS-Nr.: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

- | | |
|------|--|
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)