

schweizerischer verband des dentalhandels associations suisse du commerce dentaire SVDH, Moosstrasse 2, 3073 Gümligen Tel. 031 952 76 75 / Fax 031 952 76 83 http://www.svdh.ch/sdb

# safety data sheet

# to product

# Renfert help:ex discolor f #67000200

# 1. Identification of the substance / preparation and company

# **Emergency number:**

Tox Info Suisse, Freiestrasse 16, 8032 Zürich; Tox-Info Suisse: 145 (24h-operation); info@toxinfo.ch; **In case of emergency: Tel. 145**; (abroad: +41 44 251 51 51); information: +41 44 251 66 66

# Company name:

absolutely best choice	abc dental ag	Gaswerkstrasse 6, 8952 Schlieren Tel. 044 755 51 00, Fax 044 755 51 01
C NDOR A HENRY SCHEINF COMPANY	Condor Dental Research CO Sàrl	Ch. des Cibleries 2, CP 300, 1896 Vouvry Tel. 024 482 61 61, Fax 024 482 61 69
curaden dentaldepot	Curaden AG Dentaldepot	Riedstrasse 12, 8953 Dietikon Tel. 041 319 45 00, Fax 041 319 45 90
dema dent	dema dent AG	Furtbachstrasse 16, 8107 Buchs Tel. 044 838 65 65, Fax 044 838 65 66
Flexdental	Flexdental Services SA	Route de la Corniche 1, 1066 Epalinges Tel. 0848 336 825, Fax 021 907 67 02
	Jordi Röntgentechnik AG	Dammstrasse 70, 4142 Münchenstein Tel. 061 417 93 93, Fax 061 417 93 94
KALADENT	Kaladent AG	Schachenstrasse 2, 9016 St. Gallen Tel. 071 282 80 80, Fax 071 282 80 81
<b>LOMETRAL</b> Die Zahnarztausstatter.	Lometral AG	Binzenholzstrasse 20, 5704 Egliswil Tel. 062 775 05 05, Fax 062 775 33 07
	Novadent AG	Sägereistrasse 17, 8152 Glattbrugg Tel. 044 880 20 20, Fax 044 811 04 40
Smart Dentist Ich kann auch so!	Smart Dentist AG	Verenastrasse 4b, 8832 Wollerau Tel. 044 726 20 20, Fax 044 726 20 25

Renfert

Revision date: 01/15/2021

Safety Data Sheet

according to 29 CFR 1910.1200(g)

#### help:ex discolor f 6700 0200

Product code: 67000200 USA

Page 1 of 7

Renfert GmbH

1. Identification		
Product identifier		
help:ex discolor f	6700 0200	
Recommended use of the chemical	and restrictions on use	
Use of the substance/mixture		
Ready-to-use special cleaner stains from removable dental	(alkaline) for the subsequent removal of stub restorations.	born discolorations such as tar, coffee, tea
Uses advised against		
No information available.		
Details of the supplier of the safety	data sheet	
Manufacturer		
Company name:	Renfert GmbH	
Street:	Untere Giesswiesen 2	
Place:	D-78247 Hilzingen	
Telephone:	+49 7731 8208-0	Telefax: +49 7731 8208-70
e-mail:	info@renfert.com	
Internet:	www.renfert.com	
Supplier		
Company name:	Renfert USA	
Street:	3718 Illinois Avenue	
Place:	USA-60174 St. Charles IL	
Telephone:	(001) 800336-7422	
e-mail:	Bob@RenfertUSA.com	
Contact person:	Charlie Hagy	Telephone: +1 (630) 5497380
e-mail:	Charlie@RenfertUSA.com	
Internet:	www.renfert.com	
Emergency phone number:	USA: 800-222-1222 (National Poison	Control number)   CA: British Columbia:
	800-567-8911 or 604-682-5050 Albert	a: 1-800-332-1414 or 944-1414 Saskatchewan:
		-4766 Ontario: 1-800-268-9017 Quebec:
	1-800-463-5060 New Brunswick: 911	New Foundland: 1-866-727-1110 Northwest

Territories: 1-800-332-1414 Nova Scotia: 1-800-565-8161

#### 2. Hazard(s) identification

#### **Classification of the chemical**

29 CFR Part 1910.1200

Corrosive to metals: Met. Corr. 1 Skin corrosion/irritation: Skin Corr. 1 Serious eye damage/eye irritation: Eye Dam. 1

## Label elements

29 CFR Part 1910.1200

Signal word:

Pictograms:



#### Hazard statements

May be corrosive to metals Causes severe skin burns and eye damage

#### **Precautionary statements**

Wear protective gloves and eye/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Absorb spillage to prevent material damage.

## Additional advice on labelling

The classification is based on the pH value.

## Hazards not otherwise classified

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Danger



# Safety Data Sheet

according to 29 CFR 1910.1200(g)

## help:ex discolor f 6700 0200

Revision date: 01/15/2021

Product code: 67000200\_USA

Page 2 of 7

#### 3. Composition/information on ingredients

# <u>Mixtures</u>

Chemical characterization

Cleaning agent, alkaline

#### Hazardous components

CAS No	Components	Quantity	
141-43-5	2-aminoethanol	4.9 %	
22036-78-8	(((2-hydroxyethyl)imino)dimethylene)bisphosphonic acid, sodium salt	1.25 %	

### 4. First-aid measures

## **Description of first aid measures**

#### **General information**

Take off immediately all contaminated clothing and wash it before reuse.

#### After inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

#### After contact with skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/or shower. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.

#### After ingestion

Rinse mouth. Do NOT induce vomiting. Call a physician immediately.

## Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

#### Indication of any immediate medical attention and special treatment needed

Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Treat symptomatically

## 5. Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

#### Specific hazards arising from the chemical

Thermal decomposition can lead to the escape of irritating gases and vapors.

#### Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Do not inhale explosion and combustion gases.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

#### General measures

Use personal protection equipment.

Provide adequate ventilation.

#### **Environmental precautions**

## Do not allow to enter into surface water or drains.

Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

#### Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8

## Disposal: see section 13

## 7. Handling and storage

Precautions for safe handling

#### Advice on safe handling

Handle and open container with care.

Page



Safety Data Sheet

according to 29 CFR 1910.1200(g)

## help:ex discolor f 6700 0200

Revision date: 01/15/2021

Product code: 67000200 USA

Page 3 of 7

Wear personal protection equipment (refer to section 8).

Avoid contact with eyes and skin.

When using do not eat, drink or smoke.

Advice on protection against fire and explosion No special fire protection measures are necessary.

# Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place.

Keep container tightly closed.

Hints on joint storage

Do not store together with: Acid

Further information on storage conditions

## Keep away from food, drink and animal feedingstuffs.

## 8. Exposure controls/personal protection

#### **Control parameters**

**Exposure limits** 

CAS No.	Substance	ppm	mg/m³	f/cc	Category	Origin
34590-94-8	Dipropylene glycol methyl ether	100	600		TWA (8 h)	PEL
		100	600		TWA (8 h)	REL
		150	900		STEL (15 min)	REL
141-43-5	Ethanolamine	3	6		TWA (8 h)	PEL
		3	8		TWA (8 h)	REL
		6	15		STEL (15 min)	REL

## Exposure controls

## Appropriate engineering controls

Safe handling: see section 7

## Protective and hygiene measures

Remove contaminated, saturated clothing immediately.

Wash hands before breaks and after work.

Avoid contact with eyes and skin.

Keep away from food, drink and animal feedingstuffs.

# Eye/face protection

Wear eye/face protection.

# Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NR (natural rubber, natural latex), Butyl caoutchouc (butyl rubber)

Thickness of the glove material: 0,5 mm

Breakthrough time: >= 8 h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

## **Respiratory protection**

Provide adequate ventilation.

Respiratory protection necessary at: aerosol or mist formation

## Environmental exposure controls

Do not allow to enter into surface water or drains.

# 9. Physical and chemical properties

#### Information on basic physical and chemical properties

internation on basic physical and on	ienneur properties		
Physical state:	Liquid		
Color:	blue		
Odor:	earthy		
pH-Value (at 20 °C):		> 11,5	
Changes in the physical state			
Melting point/freezing point:		not determined	

Renfert

Safety Data Sheet

Remert	Salety Data	Sheel			
according to 29 CFR 1910.1200(g)					
	help:ex discolor f	6700 0200			
Revision date: 01/15/2021	Product code: 6700	00200_USA	Page 4 of		
Boiling point or initial boiling point and boiling	]	> 100 °C			
range:					
Flash point:		not applicable			
Flammability					
Solid/liquid:		not applicable			
Gas:		not applicable			
Explosive properties					
not explosive.					
Lower explosion limits:		not determined			
Upper explosion limits:		not determined			
Auto-ignition temperature:		not determined			
Self-ignition temperature					
Solid:		not applicable			
Gas:		not applicable			
Decomposition temperature:		not determined			
Vapor pressure:		23 hPa			
(at 20 °C)					
Density (at 20 °C):		1,01 - 1,03 g/cm <sup>3</sup>			
Water solubility:		completely miscible			
Partition coefficient n-octanol/water:		not determined			
Viscosity / dynamic:		not determined			
Viscosity / kinematic:		not determined			
Relative vapour density:		not determined			
Evaporation rate:		not determined			
Other information					
No data available					
10. Stability and reactivity					
<u>Reactivity</u>					
No hazardous reaction when handled ar	nd stored according to provision	ns.			
Chemical stability					
The mixture is chemically stable under r	ecommended conditions of sto	orage, use and temperature.			
Possibility of hazardous reactions					
Violent reaction with: Acid					

Violent reaction with: Acid

Corrosive to metals

# Conditions to avoid

No special measures are necessary.

# Incompatible materials

Violent reaction with: Acid

Corrosive to metals

## Hazardous decomposition products

No known hazardous decomposition products.

### 11. Toxicological information

## Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	o Components					
	Exposure route	Dose		Species	Source	Method
141-43-5	2-aminoethanol					
	oral	LD50 mg/kg	1089	Rat		OECD 401
	dermal	LD50 mg/kg	1015	Rabbit	IUCLID	
	inhalation (4 h) vapour	LC50	14,87 mg/l	Rat		
	inhalation aerosol	ATE	1,5 mg/l			

Irritation and corrosivity

Renfert GmbH



Safety Data Sheet

according to 29 CFR 1910.1200(g)

# 6700 0200 help:ex discolor f

	neip:ex discolor f 6700 0200	
Revision date: 01/15/2021	Product code: 67000200_USA	Page 5 of 7
Causes severe skin burns and ey Causes serious eye damage Sensitizing effects	/e damage	
Based on available data, the clas Carcinogenic/mutagenic/toxic effect Based on available data, the clas	ts for reproduction	
Specific target organ toxicity (STOT)		
Based on available data, the clas		
Specific target organ toxicity (STOT)	) - repeated exposure	
Based on available data, the clas		
Carcinogenicity (OSHA):	No ingredient of this mixture is listed.	
Carcinogenicity (IARC): Carcinogenicity (NTP):	No ingredient of this mixture is listed. No ingredient of this mixture is listed.	
Aspiration hazard	, , , , , , , , , , , , , , , , , , ,	
Based on available data, the clas Further information	sincation chiena are not met.	
The product has not been tested.	. The statement is derived from the properties of the single components.	
	vironment, comply with the instructions for use.	
12. Ecological information Ecotoxicity		
There are no data available on th	ne mixture itself.	
Persistence and degradability The surfactant contained in this n	nixture complies with the biodegradability criteria as laid down in Regulation (EC) No	
648/2004 on detergents.		
Bioaccumulative potential	a maladama tha alf	
There are no data available on th	ie mixture itself.	
Mobility in soil There are no data available on th	no mixturo itsolf	
Other adverse effects No information available.		
Further information		
The product has not been tested. uncontrolled discharge of product	. The statement is derived from the properties of the single components. Do not allow t into the environment. vironment, comply with the instructions for use.	v
13. Disposal considerations		
<u>Waste treatment methods</u> Disposal recommendations		
•	ste according to applicable legislation.	
Contaminated packaging		
Handle contaminated packages in	n the same way as the substance itself.	
14. Transport information		
US DOT 49 CFR 172.101		
<u>UN/ID number:</u>	UN 1719	
Proper shipping name:	CAUSTIC ALKALI LIQUIDS, N.O.S.	
Transport hazard class(es):	8	
Packing group:		
Hazard label:	8	
Marino transport (IMDC)		
Marine transport (IMDG)	UN 1719	
<u>UN number:</u> <u>UN proper shipping name:</u>	CAUSTIC ALKALI LIQUID, N.O.S. (2-Amino-ethanol and potassiumhydro	vide
on proper snipping italile.	mixture)	
Transport hazard class(es):	8	
Packing group:	II	

	<b>•</b> • • =	Renfert Gr	nbH
Renfert	Safety Data		
	according to 29 CFR		
Revision date: 01/15/2021	help:ex discolor f Product code: 670	6700 0200	Page 6 of
Revision date. 01/15/2021			Fage 0 01
Hazard label:	8		
Air transport (ICAO-TI/IATA-DGR)	·		
<u>UN number:</u>	UN 1719		
UN proper shipping name:	CAUSTIC ALKALI LIQUI mixture)	D, N.O.S. (2-Amino-ethanol and potassiumhydroxide	
Transport hazard class(es):	8		
Packing group:	II		
Hazard label:	8		
Environmental hazards ENVIRONMENTALLY HAZARDOUS:	No		
<u>Special precautions for user</u> Further information: see section 6, 7,	8		
Transport in bulk according to Annex II of Manot applicable	ARPOL 73/78 and the IBC Code	2	
15. Regulatory information			
U.S. Regulations			
National regulatory information			
SARA Section 311/312 Hazards: 2-aminoethanol (141-43-5): Imme (((2-hydroxyethyl)imino)dimethyle		salt (22036-78-8): Immediate (acute) health hazard	
State Regulations			
Safe Drinking Water and Toxic Enforcem This product can not expose you to ch reproductive harm.		5, State of California) California to cause cancer, birth defects or other	
Additional information			
deplete the ozone layer: not applicable REGULATION (EU) 2019/1021 OF TH pollutants	e	NT AND OF THE COUNCIL on substances that	
: not applicable REGULATION (EU) No 649/2012 OF import of hazardous chemicals: not ap		T AND OF THE COUNCIL concerning the export and	I
16. Other information			
Hazardous Materials Information Label (H	HMIS)		
Health:	3		
Flammability:	0		
Physical Hazard: Personal Protection:	1 B		
Revision date:	ы 01/15/2021		
Revision No:	1,0		
Abbreviations and acronyms			
PBT: Persistent, Bioaccumulative and vPvB: very Persistent and very Bioacc	cumulative		
CAS: Chemical Abstracts Service (div ATE: Acute Toxicity Estimates LD50: lethal dose, 50% LC50: lethal concentration, 50%	ision of the American Chemical	Society)	
		dises Dangereuses par Route (European Agreement	
evision No: 1,0	USA - EN	Prin	t date: 05/17/2021



**Safety Data Sheet** 

according to 29 CFR 1910.1200(g)

# help:ex discolor f 6700 0200

Revision date: 01/15/2021

Product code: 67000200\_USA

Page 7 of 7

# RID: Règlement concernant le transport international ferroviaire de marchandises Dangereuses (Regulations Concerning

the International Transport of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

VOC: volatile organic compound(s)

### Other data

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Restricted to professional users.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)